BAFFLES 017 BFL-SGL 017



PRODUCT GUIDE





LIGHTWEIGHT Super light material opens up options for ceilings and surfaces.



VOC FREE CDPH Standard Method V1.2 School Classroom and Private Office Compliant.

 $\stackrel{\circ}{\diamond} \diamond$

LOW MAINTENANCE

A light dusting is all you'll ever need.

POWERFUL ACOUSTICS High Noise Reduction Coefficient.



CUSTOM SIZING Custom-sized products arrive installation ready.



FIRE-SAFE ASTM E84: Class A tested and compliant.

SUSTAINABILITY

Made from 60% recycled content and is 100%

recyclable.





LEAD TIME 2-4 weeks with vast color options.



SPECIFICATIONS



PRODUCT ID	BFL-SGL-017				
CONTENT	Soundcore® Recycled PET acoustic felt				
DURABILITY	Impact resistant, shock absorbant				
WEATHERING	Non-deteriorating, non-hygroscopic, colorfast				
MAINTENANCE	Clean with vacuum or light dusting				
WARRANTY	Comes with industry-leading standard warranty				
ENVIRONMENTAL	LEEDv4, VOC free, 100% recyclable, non-toxic, non-allergenic, anti-microbial				
INSTALLATION	CSI Installation Systems are product specific (see Installation page)				
ACOUSTICS	0.75 NRC				
FLAMMABILITY	ASTM E84: Class A				

TECHNICAL


LENGTH 108" custom lengths available WIDTH ¹/2" custom widths available 108" A A A A A A A B C FRONT VIEW





MATERIAL THICKNESS

 $^{1\!/_{2}"}$ custom thicknessess available




SPACING


4" - 12" custom spacing available

3 PERSPECTIVE VIEW



LAYOUT OPTIONS








INSTALLATION

Baffle installation systems are designed according to site conditions, and maximize efficiency of installation.

Each solution respects the integrity of the project design, budget, and installs easily with simple tools.

DIRECT ATTACHMENT SYSTEM

Attachment solution for pre-constructed ceiling substrates with low-height limitations. Requires minimal skilled installation labor. Ideal for remodeling spaces.




INDIVIDUAL SUSPENSION SYSTEM


Attachment solution for enhanced design through suspension. Allows for optimal configuration and flow. Easily installed in post-construction phase.

MODULAR RAIL SYSTEM

Attachment system for open deck site conditions. Ideal for integration with MEP systems.

Features efficient installation via pre-designed modular configurations. Engage us in the design phase for site-specific module sizing.







SITE CONDITIONS

MODULAR SYSTEM


Modular systems can be configured to fit site conditions when considered during the design phase.


Optimized configurations save on material costs, provide a hassle-free installation, and reduce labor costs.

CUSTOMIZED FABRICATION PER SITE CONDITION

When engaged in the design phase, we fabricate custom baffle modules fitted to the shape of your space.


This reduces the need for on-site cutting by installation crews, saving money in material and labor.






MEP INTEGRATION

The modular rail system allows for easy mechanical, electrical and plumbing integration. During design development, we coordinate with your team of MEP consultants to uphold your construction schedule.



RADIAL CONFIGURATION

Product configuration can be customized beyond our listed offering to respect design intent and functional integration.





COLORWAYS

SOUNDCORE® RECYCLED PET ACOUSTIC FELT



SOUNDCORE® WOOD TEXTURES RECYCLED PET ACOUSTIC FELT

SND709 Lomed Oak	SND712 Sraight Teak	SND706 Greige Walnut	SND714 Soft Greige Walnu	t SND711 Light Maple	SND713 Caramel Coffee	SND708 Dark Cherry	SND705 Golden Rays
						NUNCTION I	
SND721 Toasted Walnut	SND724 Rose Oak	SND723 Fall Oak	SND727 Teak	SND728 Walnut Teak	SND701 Medium Walnut	SND715 Butternut Brownie	SND716 Modern Walnut
SND726 Pewter Teak	SND725 Pebble Teak	SND710 Calico	SND702 Singed Ash	SND717 Roughed Up Oak	SND720 Red Oak	SND722 Honey Oak	SND707 Natural Walnut
SND703 Dark Oak	SND719 Weathered Oak	SND718 Aged Barnwood	SND704 Raven	SND729 Frosted Oak	SND730 Ash Grey	SND731 Sunbleached Oak	SND732 Natural Chestnut

SND733 Aged Barrel



SUSTAINABILITY



RESPONSIBLE INNOVATION

We source our materials responsibly, using 100% recyclable materials. The majority of the material composition comes from post-consumer plastics, which means you're not forwarding the environmental bill to the next generation.

Soundcore® is 100% VOC free (Volatile Organic Compound), which means from day one there will be zero odorous fumes, and zero air toxicity. It's also ASTM E84: Class A fire rated and offers resonant insulation to build a more comfortable environment.

All of these check-boxes make up a surprisingly lightweight, soft-touch panel that we're incredibly proud of.

MATERIAL CONSTRUCTION

60% Recycled PET acoustic fiber.

PRODUCT CERTIFICATIONS

ASTM E84: Class A, VOC Free (CDPH Standard Method V1.2)



OUR MISSION

EXPERIENTIAL SPACES

Our goal is to create spaces that feel better.

It's easy to visualize a space with architectural acoustics, but even the most detailed renderings couldn't convey the experience of actually being there. When sound is properly controlled within a space, it creates focus and calmness that you can actually feel. We want to help you turn off the droning machinery in the back of your mind. We fabricate custom solutions that visually suit your space while building towards a more soothing holistic experience. This creates spaces where people want to be—where they want to work, where they want to sleep, exercise, create, study, and relax.



